



# Skirtings

## Clips for skirtings 60 & 80 mm

Install skirtings easily and remove them afterwards without damaging your walls.

Clips for skirtings 60 mm & 80 mm



## Skirting 60 mm

Regular skirting that provides a perfect finish for every laminate floor

Available in every laminate decor

Dimensions: 2400 x 14 x 60 mm (L x W x T)



## White paintable skirting 60 mm

Regular skirting that provides a perfect finish for every laminate floor

2400 x 14 x 60 mm (L x W x H)



## Quarter Round matching

A subtle, perfectly matching finish for your floor.

Installation: glue

2400 x 14 x 14 mm (L x W x H)



### **White paintable skirting 80 mm**

Elegant high skirting for a modern look  
2400 x 12 x 80 mm (L x W x H)



### **White paintable skirting 100 mm (modern skirting)**

Minimalist and simple skirting for a contemporary home  
2400 x 14 x 100 mm (L x W x H)



### **White paintable quarter round**

Quarter round skirting (white)  
2400 x 14 x 14 mm (L x W x H)



## **White paintable skirting 110 mm (English skirting)**

2400 x 14 x 110 mm (L x W x H)



## **Profiles**

### **MDF T-profile**

MDF matching profile

Seamlessly connects two laminate floors and hides expansion gaps

Available in every laminate decor

Dimensions: 1000 or 2400 x 44 x 11.1 mm (L x W x H)



### **Reducer Profile Alu Silver**

Available in aluminium silver

Ensures a seamless connection between floors of different heights or types (tiles, carpet, etc.)

Available in 2 dimensions: 1000 x 46 x 11.7 mm (L x W x T) or 2000 x 46 W X 11.7 mm (L x W x T)



### **Alu T-profile**

Aluminium silver

Seamlessly connects two laminate floors and hides expansion gaps

Available in 2 dimensions: 1000 x 46 x 11.7 mm (L x W x T) or 2000 x 46 x 11.1 mm (L x W x H)



### **Alu end profile**

Available in aluminium silver

Tidy finish for the edges of your laminate floor

Adjustable in height (for floors ranging from 7 mm to 16.5 mm)

Dimensions: 2000 x 20 x 8.65-18 mm (L x W x H)



## **Underlays**

### **Moisture barrier underlay**

Use this underlay when installing laminate on PVC, linoleum, ceramic tiles, cement and concrete flooring

Protects your laminate floor from humidity and moisture

# Installation & maintenance products

## Starter kit

The spacer blocks ensure the correct distance is maintained between the walls and floor during installation and the metal pull bar simplifies the installation of the final plank on each row.



## Tapping Block

Used to install laminate floors with aluminium lock, to avoid damage to the locking mechanism



## Laminate Cleaner

The perfect maintenance for your laminate floor. This antibacterial laminate cleaner is suitable for both first-time maintenance and regular use. Rinsing is not necessary. 1 liter

Ref: LC1000

